



US007704540B2

(12) **United States Patent**
Bringe et al.

(10) **Patent No.:** US 7,704,540 B2
(45) **Date of Patent:** Apr. 27, 2010

(54) **SOY COMPOSITIONS HAVING IMPROVED ORGANOLEPTIC PROPERTIES AND METHODS OF GENERATION**

(75) Inventors: **Neal A. Bringé**, St. Charles, MO (US);
Robert G. Orth, Gerald, MO (US)

(73) Assignee: **Monsanto Technology LLC**, St. Louis,
MO (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 1114 days.

(21) Appl. No.: **11/177,943**

(22) Filed: **Jul. 8, 2005**

(65) **Prior Publication Data**

US 2006/0021090 A1 Jan. 26, 2006

Related U.S. Application Data

(60) Provisional application No. 60/521,846, filed on Jul. 9, 2004.

(51) **Int. Cl.**

A23L 1/31	(2006.01)
A23D 9/013	(2006.01)
A23L 1/22	(2006.01)
C12N 5/04	(2006.01)
A01H 1/00	(2006.01)
A01H 5/00	(2006.01)

(52) **U.S. Cl.** **426/574; 800/262; 800/263;**
800/312; 800/264; 435/415; 426/531; 426/534

(58) **Field of Classification Search** None
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,677,247 A	6/1987	Kitamura	800/1
5,530,183 A	6/1996	Fehr et al.	800/200
5,534,425 A	7/1996	Fehr et al.	435/172.1
5,710,365 A	1/1998	Kerr et al.	800/200
5,710,369 A	1/1998	Fehr et al.	800/200
5,714,668 A	2/1998	Fehr et al.	800/200
5,714,669 A *	2/1998	Fehr et al.	800/312
5,714,670 A	2/1998	Fehr et al.	800/200
5,727,689 A	3/1998	Anderson et al.	209/139.1
5,763,745 A	6/1998	Fehr et al.	800/200
5,777,080 A	7/1998	Boatright	530/378
5,850,030 A	12/1998	Fehr et al.	800/312
5,981,781 A	11/1999	Knowlton	554/224
5,986,118 A	11/1999	Fehr et al.	554/224
6,133,509 A *	10/2000	Fehr et al.	800/312
6,171,640 B1 *	1/2001	Bringe	426/656
6,184,442 B1	2/2001	Nickell	800/312
6,355,296 B1	3/2002	Altemueller et al.	426/656
6,369,302 B1	4/2002	Matson	800/312
6,444,874 B1	9/2002	Duvick et al.	800/279
6,566,134 B2	5/2003	Bringe	435/410
6,653,534 B1	11/2003	Conway	800/312
2002/012339 A1	8/2002	Akashe	426/507
2004/0005346 A1	1/2004	Boatright	424/439
2004/0107460 A1	6/2004	Fillatti et al.	800/281

2004/0161513 A1	8/2004	Akashe	426/422
2005/0138681 A1	6/2005	Takahashi et al.	800/278
2006/0062894 A1	3/2006	Smith et al.	426/656

FOREIGN PATENT DOCUMENTS

WO	WO 88/06919	9/1988
WO	WO 01/06866	2/2001
WO	WO 2004/001000	12/2003
WO	WO 2006/039136	4/2006

OTHER PUBLICATIONS

Inouye et al *Journal of Agricultural and Food Chemistry* 2002 50:1652-1658, provided by Applicant in IDS.*

Anai et al., "Identification of corresponding genes for three low-alpha-linolenic acid mutants and elucidation of their contribution to fatty acid biosynthesis in soybean seed," *Plant Science* 168:1615-1623, 2005.

Bilyeu and Beuselinck, "Molecular genetics of low linolenic acid soybeans," *10th Biennial Conference Of The Cellular And Molecular Biology Of The Soybean*, 2004.

Bilyeu and Beuselinck, "The contribution of multiple genes to one trait: Linolenic acid production in soybean seeds," *Plant Genetics 2003: Mechanisms of Genetic Variation, American Society of Plant Biologists*, Abstract 50, XP009060561, 2003.

Bilyeu et al., "Three microsomal omega-3 fatty-acid desaturase genes contribute to soybean linolenic acid levels," *Crop Sci*, 43(5):1833-1838, 2003.

Byrum, et al., "Alteration of the omega-3 fatty acid desaturase gene is associated with reduced linolenic acid in the A5 soybean genotype," *Theor. Appl. Genet.*, 94:356-359, 1997.

Fehr et al., "Inheritance of reduced linolenic acid content in soybean genotypes a16 and a17," *Crop Sci.*, 32:903-906, 1992.

Jourdren et al., "Specific molecular marker of the genes controlling linolenic acid content in rapeseed," *Theor Appl. Genet*, 93:512-518, 1996.

Knutzon et al., "Modification of Brassica seed oil by antisense expression of a stearoyl-cyl carrier protein desaturase gene," *Proc. Natl. Acad. Sci. USA*, 89:2624-2628, 1992.

Lui and White, "Oxidative stability of soybean oils with altered fatty acid composition," *J. Am. Oil Chem. Soc.*, 69:528-532, 1992.

O'Brien, "Fats and oils: formulating and processing for applications," Second Edition, *CRC Press*, 14-15, 2003.

Primomo et al., "Inheritance and interaction of low palmitic and low linolenic soybean," *Crop Sci.*, 42:31-36, 2002.

Rahman and Takagi, "Inheritance of reduced linolenic acid content in soybean seed oil," *Theor. Appl. Genet*, 94:299-302, 1997.

Rahman et al., "Combining ability in loci for high oleic and low linolenic acids in soybean," *Crop Sci*, 41:26-29.

(Continued)

Primary Examiner—Anne Marie Grunberg

Assistant Examiner—Brent Page

(74) **Attorney, Agent, or Firm**—Chumping Li, Esq.; Sonnenschein Nath & Rosenthal LLP

(57) **ABSTRACT**

The present invention provides soy meat compositions with improved organoleptic properties and methods of identifying soybeans with improved organoleptic qualities. The invention also provides methods for producing soy compositions with improved organoleptic properties and for creating plants producing soybeans with such characteristics.

20 Claims, No Drawings